

Attorney's Docket No.: 007025.P001

Patent

UNITED STATES CONTINUATION PATENT APPLICATION

For

PERSONAL CONTACT NETWORK

Inventors:

Grant James Ryan

Gary Lee Franklin

Julian Malcolm Cone

William Ferguson Stalker

Derick Ian Robinson

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN, LLP
12400 WILSHIRE BOULEVARD
SEVENTH FLOOR
LOS ANGELES, CALIFORNIA 90025-1026
(408) 720-8300

Attorney Docket No.: 007025.P001

"Express Mail" mailing label number: EV 409359919 US

Date of Deposit: March 29, 2004

I hereby certify that I am causing this paper or fee to be deposited with the United States Postal Service "Express Mail Post Office to Addressee" service on the date indicated above and that this paper or fee has been addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia, 22313-1450.

Linda K. Brost

(Typed or printed name of person mailing paper or fee)

Linda K. Brost
(Signature of person mailing paper or fee)

March 29, 2004
(Date signed)

PERSONAL CONTACT NETWORK

CROSS-REFERENCE TO RELATED APPLICATIONS

The present patent application is a continuation of prior PCT Patent Application No. 5 PCT/NZ/02/00199 filed on September 30, 2002, which claims priority from New Zealand Patent Application No. 514368 filed on September 30, 2001, and New Zealand Patent Application No. 518624 filed on April 29, 2002, all of which are incorporated herein by reference in their entirety.

TECHNICAL FIELD

10 The present invention relates generally to a database of records compiled from entities with mutual common links and personal and business services based upon these records.

BACKGROUND ART

The interconnectivity of individuals and organisations has increased exponentially in recent times with advent of various telecommunication means, including the Internet.

15 The Internet has connected the world with literally billions of connected nodes (or users) representing entities of various types, - people, organisations, computers, and other devices. Many applications such as the world wide web, online bulletin boards, email, online instant messaging, and peer-to-peer solutions allow direct contact between any number of these nodes. The very success of this inter-node connectivity/accessibility has however lead to 20 further problems where a node/entity would prefer to control its 'visibility' and accessibility to a subset of the potential world-wide internet community, for any number of reasons, e.g.

discretion, trust, association, preference, improving the quality and relevance of information and so forth.

Existing means of addressing this problem include specific application web-sites configurations. These typically require secure access using authentication, with an associated
5 increase in costs, maintenance, administration and lack of flexibility. Specific emails and/or direct telephone contact is often employed, though these require time and effort to implement.

Virtual Private Networks, or Intranets provide companies with secure networks on which only their employees and/or clients and partners can utilise, though again, at a high cost.

There is therefore a need for a system where nodes/entities can still interact with a wide range
10 of applications and other nodes/entities via any appropriate communication methods, whilst providing control over the distribution of information flow between the nodes and also the degree of 'visibility' of the node/entity, i.e. the degree to which information flow and/or the interconnection between nodes in a user's unique private personal network is discernable to other nodes.

15 Incentives to restrict the distribution and flow of information within a network include obtaining some form of filtering of irrelevant, useless, unwanted, offensive, intrusive or in any way undesirable information or interaction with other nodes/entities. Humans consciously and subconsciously already utilise such filtering in their daily life by placing greater weighting on information from friends and acquaintances than from unfamiliar sources.

20 Throughout virtually every aspect of human life, economic, social, personal and business decisions are either directly or indirectly affected by the preferences, tastes and actions of our friends, colleagues and acquaintances. This is in contrast to widely accepted economic theory in the fields of, for example, consumer purchases where it is assumed individuals make rational choices based upon the available product or service information. In actual fact, a

recommendation, or an adverse comment from a close trusted acquaintance regarding a specific product will often override other factors in a commercial purchase decision, rightly or not. There are many other areas in which the opinions of respected acquaintances or even organisations can affect the decision making of individuals or organisations.

- 5 Examples of just a few applications or activities in which trusted or respected contacts or recommendations play a significant role include seeking employment and filling job vacancies, investment opportunities, academic co-operation, finding accommodation or people to share accommodation with, buying and selling goods and services, arranging social/sporting functions, finding friendship, romantic and/or social relationships and so forth.
- 10 There are thus numerous possible applications that could benefit from a discriminating means of forming a network of contacts with entities of known value to the user.

- Considering the example of employment, the task of finding a suitable employee amongst a potentially huge number of applicants obtained through public advertising can be a significant deterrent to many employers. Consequently, many vacancies are only advertised internally or
- 15 simply filled by recommendations from existing employees. However, such a system is, by its very nature, haphazard and dependant on a non-systematic information distribution system. Conversely, an ideal candidate seeking employment who wants to be aware of a suitable vacancy known to one of his friends would have to systematically inquire with his friends on a regular basis. In practice, this type of behaviour would alienate many friends and thus is not
- 20 typical. In addition, the candidate would not be aware of vacancies know to friends of his friends unless he could convince his friends to systematically enquire with their friends, which they are unlikely to do.

- Nevertheless, employers are still confronted by numerous deficiencies in the existing alternatives to finding an employee. As discussed above, advertising via traditional media
- 25 outlets such as the newspapers, magazines and so forth can produce an excessive number of

applicants. The filtering required to shortlist candidates for interview may be based on misleading impressions formed from Curriculum Vitas, formal qualifications, age, experience and so forth. Furthermore, the cost of the advertising itself together with the processing cost of all the low quality applications can be a significant burden.

- 5 Recruitment agencies may be employed to locate and pre-filter potential candidates for higher calibre applicants, though this places a further overhead on the employment process.

Internet employment advertising on online job-boards with open access for all potential candidates can expose the vacancy to a large number of potential candidates. However, this can also lead to numerous inappropriate responses from a variety of sources. Furthermore, the
10 aforementioned disadvantages of newspaper magazine advertising are also present with this method.

There is thus a need to harness the discriminatory powers of the knowledge, opinions and recommendations of an individual's extended social network in an efficient and systematic manner without irritating or alienating members of the network.

- 15 As a further example, the process of finding a personal friend or romantic partner is strongly affected by social connections. The desire to establish fulfilling relationships with other humans, whether romantic or otherwise is one of the strongest human drives and can be the cause of a great deal of anxiety, stress and uncertainty. The very process of establishing relationships with other humans is often fraught with difficulties, compounded by the inherent
20 characteristics of most humans to avoid risk and/or potential rejection.

Many relationships and marriages have traditionally been arranged by families and/or stem from relationships established during school, work, or other situations where humans experience a common bond. Traditional demographics and cultural characteristics which historically have provided structures and opportunities for like minded individuals to meet are

increasingly being replaced or are considered undesirable and/or unacceptable to a large portion of society.

The increasing urbanisation of populations has resulted with people having lifestyles and schedules which preclude them from establishing successful relationships. Consequently,
5 many people have turned to less traditional means of finding potential mates and a variety of dating services have been provided to meet such needs.

However, many of the factors which inhibit or pose difficulties for individuals to establish relationships with strangers are equally applicable to many such dating services. Even when two people would both like to initiate the first steps in a relationship, shyness, fear of
10 rejection, or other social pressures or constraints often prevent the parties from establishing contact.

To overcome such difficulties, systems exist whereby people view video tapes/pictures of prospective partners and/or assess common areas of interest such as hobbies, employment and so forth to determine their interest in the potential partner.

15 The introduction of both parties is only effected if both parties are willing to do so.

Unfortunately, for many people, the visual appearance and/or the stated personal interests are often not sufficient in themselves to overcome the feeling of unease or trepidation of a user from meeting such a potential stranger on a 'blind date'. The initial step itself actually approaching a dating service can prove too embarrassing for many people thus precluding
20 them from being assessed by potentially suitable partners who do make use of the dating service.

Alternative means of matching potential partners include the use of personal advertisements placed in magazines, newspapers and so forth. In recent times, this has been extended to include use of the internet as a means of increasing the potential pool of suitable partners. In

such advertisements, people provide a brief description of their own personality traits and interests and express their preference of such traits in potential respondents. However, such descriptions are often misleading or even untruthful and due to the lack of any independent means of verification available to the enquirer, such advertisements are often treated with a
5 great deal of scepticism by potential users.

Various attempts have been made to enhance such dating services by computerising the recordal and organisation of various human characteristics, seeking to provide enquirers with candidates matching their desired lists of characteristics. None of the systems however overcome the fundamental reluctance of most people to initiate a relationship with a
10 completely unknown individual.

People often become acquainted with their partner due to their environment, i.e. school, college work and so forth and/or due to contact through mutual friends. The most prevalent factor leading to the majority of human relationships is the existence of such a common bond, link or situation/circumstance, either directly or indirectly with the eventual partner.

15 The very act of establishing friendship with a particular person confers at least a partial affirmation of the person's character, judgement and personality without which the friendship would not have been established in the first place. By proxy therefore, it is widely felt that friends of a friend are also likely to meet the same criteria or standards which formed the basis for the established friendship. The common factor of having a mutual friend provides both
20 potential partners with a degree of reassurance of potential compatibility and like-mindedness which is not discernible through known dating services.

Despite the advantages of seeking potential relationships with friends and friends of friends, it is generally impossible for people to attend all the social functions required to meet all the potentially suitable partners in such an extended network of friends. Furthermore, whilst
25 many friends might be willing or keen to help match potentially suitable partners, they may

not want to become duly involved themselves.

Although the act of seeking a romantic relationship may involve contact with an individual's extended network of friends, many non-romantic activities and/or decisions are also influenced by the individual's extended social network.

5 Contemporary living has confronted many individuals with a daily surplus of information. This bewildering array of choices and decisions vies for the individual's attention in almost every aspect of their work, recreation, and social lives. The vast majority of information sources received by most individuals is biased to some extent by commercial interests. Consequently, there is at least the perception the information may be incomplete, misleading
10 or false. The lack of independent objectivity from these information sources leads to scepticism and/or a sense of futility, helplessness, or ambivalence in obtaining worthwhile advice. In contrast, a recommendation by trusted friend of a particular product, service or the like, is likely to be given far greater weighting. Such recommendations will often be accorded far greater significance than any number of expensive, professionally produced, and
15 theoretically compelling advertisements/product recommendations.

An individual may seek a friend's opinion on a variety of issues, aside from commercial purchase issues. The choice of plumbers, dentists, lawyers and other suppliers for example, may be strongly influenced by personal recommendation. Whilst such specific choices may only arise infrequently, friends and acquaintances are often in frequent contact and may cover
20 a wide range of matters, including opinions/recommendations on issues such as books, films, entertainment, restaurants, and many others.

Potential applications which may benefit from such a system are potentially limitless and the above are given solely by way of example.

Various prior art methods have addressed these issues including:

US 6,269,369 *Robertson* which teaches a means of implementing a computer-based personal contact manager that allows members to create and maintain contacts with other members and in doing so incorporates their contact details on their personalised address books. As further members join the group, their contact details are optionally incorporated in the address books
5 of the existing members. Furthermore, any changes in the contact details of the members are automatically updated in the address books of the other members. However, the system is primarily directed to maintaining connectivity between individuals by updating their contacts details, rather than sharing information between members of a unique private personal network.

- 10 US 2002/0091538 *Schwartz et al* teaches a means of fundraising via a network of friends. However, the system is tiered in a pyramid structure, preventing meaningful any two-way exchange of information between members of the network. Each member seeks to raise funds from their other friends in a cascading fashion.

- US 2002/0049816 *Costin, IV et al* also addresses the issue of fundraising, but does not
15 provide a unique personal, private network through which its members may exchange information and interact.

- WO 01/63423 *Ikimbo, Inc* teaches an “information and application distribution system (IADS)” allowing interaction and communication within defined communities. The system requires the installation of a client-side executable application for each member of the
20 community. The community is an organised network rather than a personalised one and is not private.

WO 02/15050 *Luth Research Inc* teaches a method of conducting surveys and collecting information. The invention invites people to become part of a network of people wishing to answer surveys and is not a unique, private personal network that is unique to each user.

US 2001/0025253 *Heintz et al* teaches a multi-level award programme in which the internet activity of a enrolled user is tracked with award points being earned for various specified activities. Further bonus points can be accrued by the user from other “second, third, forth level” users and so on. *Heintz* does not teach any means of selective interaction within a group of entities known directly or indirectly to each other on a unique, private personal network.

WO 01/01307 teaches a viral-based marketing system for use over a computer network in which merchants of goods/services provide a commission to referral web sites according to the sales corresponding to the referred users. The system is not a unique, private, personal network suitable for selective interaction with the members who are all known, directly or indirectly to the user.

US 6,327,572 *Morton et al* teaches methods for introducing potential customers to an information service having a voice-based interface and is specifically restricted to such audio systems. Therefore, the system does not provide for non-audio interaction of entities within a unique, private, personal network, nor for non-commercial activities.

WO 01/37232 teaches an internet-based match-making service between two people who already know each other, of each other, or met each other at a previous situation that can be described in sufficient detail to facilitate a match. This system does not relate to individuals who have not met though share a common link through an intermediary individual.

Other prior art systems include a great diversity of websites, networks and systems which enable users to interconnect with other users. However, none of the prior art provides a unique, private, personal network for use with a membership which is specifically tailored and personalised to the user and whose details cannot be discerned for an external source outside the network and/or without specific permission from the user.

All references, including any patents or patent applications cited in this specification are hereby incorporated by reference. No admission is made that any reference constitutes relevant prior art. The discussion of the references states what their authors assert, and the applicants reserve the right to challenge the accuracy and pertinency of the cited documents.

- 5 It will be clearly understood that, although a number of prior art publications are referred to herein, this reference does not constitute an admission that any of these documents form part of the common general knowledge in the art, in New Zealand or in any other country.

- 10 It is acknowledged that the term 'comprise' may, under varying jurisdictions, be attributed with either an exclusive or an inclusive meaning. For the purpose of this specification, and unless otherwise noted, the term 'comprise' shall have an inclusive meaning - i.e. that it will be taken to mean an inclusion of not only the listed components it directly references, but also other non-specified components or elements. This rationale will also be used when the term 'comprised' or 'comprising' is used in relation to one or more steps in a method or process.

- 15 It is an object of the present invention to address the foregoing problems or at least to provide the public with a useful choice.

Further aspects and advantages of the present invention will become apparent from the ensuing description which is given by way of example only.

SUMMARY OF THE INVENTION

According to one aspect, the present invention provides system providing one or more users with a unique, private personal network formed from contacts with one or more entities known directly or indirectly to the user, characterised in that said unique private personal
5 network provides respective interrelationship context information associated between at least two entities and/or between an entity and the user.

As used herein, the term 'entity' or 'entities' refers to any individual, family, personal or organised network, organisation, club, society, company, partnership, religion, or entity that exists as a particular and discrete unit.

10 By being private, the network prevents unrestricted access to the information and contacts contained therein, filtering out unwanted approaches by unauthorised entities.

Preferably, said system includes for each entity one or more entity attributes, including at least one identifying characteristic.

Preferably, said entity attributes include information regarding personal details, factors or
15 interests; friends; relations; school alumni; employment factors; business colleagues; professional acquaintances; sexual preferences, persuasions, or proclivities; sporting interests; entertainment, artistic, creative or leisure interests; travel interests, commercial, religious, political, theological or ideological belief or opinions; academic, scientific, or engineering disciplines; humanitarian, social, security/military or economic fields and any combination of
20 same.

Preferably, said interrelationship context information includes a connection factor indicative of the separation between an entity and the user, and optionally also the separation between entities in said unique private personal network.

The interrelationship context information optionally includes details of one or more entity attributes. Therefore, in addition to the user's knowledge that another entity is a direct acquaintance (i.e. there is no intermediary between the entity and the user) or knowledge of the connections via which the entity is indirectly known to the user (i.e. the connection factor),
5 further interrelationship context information may be available via details of any corresponding entity attributes made available to the user.

It will be appreciated that there is a distinct difference in the present invention between organised networks and unique, private personal networks. An organised network forms a group/organisation with a defined membership who all have a common aim, or interest such
10 as, political parties, academic or engineering institutes, sporting bodies and so forth.

In contrast, a unique, private personal network is formed from contacts that are unique to an individual with entities such as friends and colleagues. Thus, an individual user of the present invention may be linked to other entity's unique, private personal networks and be linked to (or even be a member of) organised networks.

15 Said organised network entities may be formed by groups of individual entities possessing one or more common entity attributes.

Thus, an organised network may be connected to a user's unique private personal network as;

- a single entity with entity attributes relating to the whole organised network,
and/or
- 20 - as a plurality of entities comprising the membership of the organised network, whereby each such entity would each possess at least the common entity attribute of membership of the organised network.

Preferably, access to the interrelationship context information between the user and said

entities is restricted. According to one aspect of the present invention, said restricted access defined by the user.

According to an alternative aspect, the present invention further provides a tool to map relationship networks.

- 5 Entities, including the user may be considered as “nodes” in a network.

The invention provides a unique, private personal network with a plurality of number of users or entities represented as nodes, each node being at the origin of an individual unique, private personal network consisting of the user and a variable number of additional nodes.

- 10 Each node preferably includes at least one identifying characteristics of the corresponding entity it represents including the entities name and preferably a means of contacting the entity, preferably including an e-mail address; telephone and/or facsimile number; postal address and/or any communication means capable of individually communicating with the entity or any combination of such means.

Preferably said identifying characteristics also include at least one of said entity attributes.

- 15 Optionally, said identifying characteristics may include supplementary attributes of said user or entity.

The need for such supplementary attribute(s) is dependent on the specific purpose to which the system/ unique, private personal network is being applied.

- 20 Preferably, a node becomes part of the network system by independent registration or by accepting an invitation from a registered node.

Nodes agreeing to inclusion in a user’s unique, private personal network are said to be direct contacts.

According to one embodiment, nodes included in the database system which are indirectly or unconnected to a user may become directly connected by mutual agreement, preferably by one node sending an invitation and the other accepting.

As referred to herein, if two nodes are linked through any number of intermediate nodes they are said to be "connected". Furthermore, if two nodes exist independently in the database system or a unique, private personal network with no intermediate nodes connecting them, they are said to be "disconnected".

In one embodiment, the said connection factor incorporates the connection path length between two nodes, given by the number of connections in a chain of nodes separating two nodes.

In a further embodiment, the said connection factor incorporates the degree of separation between two nodes and is equal to the shortest connection path length of all the available connection paths between the nodes, wherein a node that is directly connected to another node is said to be a "direct contact" giving a "1st degree contact," and has a connection path length of one, two nodes connected via one intermediate node are said to be "2nd degree contacts," and have a connection path length of two, and wherein any two nodes whose shortest connection path is via "N-1" nodes, with a path length of "N" have an "Nth" degree contact, where "N" is an integer.

According to one embodiment, an application or communication is initiated by one or more nodes, and responded to by one or more further nodes. According to a further embodiment, users may search for other nodes that desire to conduct an application or communication, optionally selecting to be notified of future such events.

According to one embodiment, the present invention is configured to allow a user to apply a selective interaction with other nodes for a predetermined activity by controlling the value of N^{th} degrees contact of nodes to be included, where N is a variable determined by the user.

Preferably, said predetermined activity includes instigating, continuing, terminating or
5 responding to an application, search, communication, and/or selective information distribution.

Alternatively, a user engaged in one or more said predetermined activities may specify the action to apply to

- all degrees of contact in the user's unique, private personal network, at any connection
10 path length, or
- the entire system network of all nodes, including those who are not connected to the user.

Preferably, said applications include (but are not limited to) consumer decisions, buying, selling, trading loaning; finding flatmates/roommates, tenants; organising activities and events, recommendations/opinions including those related to films, plays, books, employment,
15 services, tradesmen, accommodation, restaurants and the like, comparison and explorations of common interests, e.g. horse riding, snowboarding, etc; sharing peer-to-peer personal or business creative work or content, e.g. photos, art-work, literature, music; managing a club or society; locating/supplying/"blacklisting" providers of goods or services; business or technological advice unsuitable for publication; recruitment, job-seeking; estate agents;
20 venture capital; collaborative ventures; referrals; police/security information gathering/informants; event manager; address book manager; search engines; headhunting; book mark service; spam filtering; car sharing; sales leads; market entry advice; real-estate; sharing personal or business files; company knowledge management; medical advice; travel

organiser, lending/borrowing; house-sitting; baby-sitting; classified advertisements; finding musicians.

In addition, the present invention permits conducting applications with networks outside the system network.

- 5 This control over information distribution allows the nodes to balance the trade-off between the amount of visibility of the application or communication or search in their unique, private personal network, and the degrees of separation between the node and potential initiating or responding nodes.

10 It will be appreciated that there are numerous potential reasons for limiting the degrees of separation of nodes contacted by the user for any predetermined activity, said reasons including, but are not limited to, social, economic, or political contexts such as trust, discretion, interest, association, preference, shared experience, ethnicity, religion, language, location, allegiance, alliance, treaty, politics, or government.

15 According to a further aspect of the present invention, access to at least a portion of the said identifying characteristics of each node is restricted, optionally as a function of the connection factor.

In one embodiment, each node may only access the name and contact details of direct contacts in its unique, private personal network. Optionally, each node can see for each of its direct contacts the number of direct contacts that they have, in order to recognise which of their
20 contacts are successful and which are not in connecting to others, and to prompt them.

Optionally, a node can only see the number or partial name of nodes connected within each of the user's N degrees of contacts greater than the second degree of separation. This achieves two purposes, firstly it prevents nodes from inviting other nodes to be direct contacts without the existence of an appropriate interrelationship context or relationship which predisposes the

nodes to be direct contacts, and secondly, it still allows two nodes involved in an application, for example, to consult their direct contact entities in the connection path that links them, and if necessary, their direct contacts can consult their direct contacts further into the linking connection path, to support the nodes use of the application.

- 5 According to a further aspect of the present invention, communication between entities may be restricted to contact solely via the system according to the degree of separation between the entities.

In one embodiment, only a user's direct contact(s) are provided with the user's contact details enabling communication independently of the system.

- 10 Thus, entities known indirectly to the user, i.e. second degree contacts or those with a greater connection path may only communicate with the user via the system and are not given the user's e-mail address for example.

- This provides a yet further screen for users from direct interaction with entities with whom they are not yet totally familiar. If the situation changes and an entity becomes trusted, better
15 known to the user, they may be upgraded to a direct contact and given the user's telephone number, email address or similar contact details. Alternatively, a user particularly concerned with privacy may exclude even their first degree contacts from accessing their contact details. All contact would then be via the system.

- The assurance that email (or other communication means prone to include unsolicited
20 messages/correspondence) from the user's unique, private personal network comes from a defined list of entities whose knowledge of the user's contact details is controllable by the user.

Thus, the present invention may be used as a filter for any form of electronic communication by prioritising communications from entities in the user's unique, private personal network within a defined degree of separation, over other communications.

5 This effectively acts as a spam filter for e-mail, text messaging, voice mail, or any other means which identifies the communication's originator, which may then be compared with the user's direct contact entities for example.

10 In further embodiments, the user may selectively control access to the identifying characteristics of itself and or, with consent, any nodes within a permitted degree of separation from the user. Preferably, said selective control is variable according on the predetermined activity being undertaken.

Although access to the identifying characteristics and connection paths of particular nodes may be restricted to other nodes according to the configuration settings of the system and/or nodes involved, nevertheless the system records and maintains these details.

15 Therefore, according to a further embodiment, the system automatically updates changes in the identifying characteristics, contact details, entity attributes, and any other data associated with and/or inputted by a node and records same in entity data records associated with each entity/node.

20 Thus, according to a further aspect, the system automatically maintains connectivity between nodes following changes in a nodes contact details and/or the integrity of any aspect of a predetermined activity dependant on the contents of said entity data records of the nodes involved by virtue of said automatic updating.

In one embodiment, the system auto-synchronises the contact details of entities accessible to the user with electric contact details stored in any electronic or data storage media connected to the system, e.g. address books in laptops, mobile phones, PC and so forth.

Preferably, after a user has formed its own unique, private personal network, it may vary the degree of separation of the nodes to be involved in a predetermined activity, without need to reconstruct the unique, private personal network for each activity.

Even if a node is not active in building out its network of direct contacts, its network may
5 continue to evolve and grow or shrink depending on the invitation activity of other nodes it is connected with.

According to a further aspect of the present invention, there is provided a means of visually displaying the interconnections between the nodes.

Preferably, a user's unique, private personal network may be visually represented on an
10 electronic display in one or more of the following forms, including:

- graphical, alphanumeric and/or animated symbols representing nodes joined by lines, or some form of visual link representing the connections between the nodes;
- a solid line indicating entities who have joined or have consented to join the user's unique, private personal network;
- 15 • dotted lines indicating entities who have been invited but they have not joined the user's unique, private personal network;
- different symbols to differentiate between nodes representing different types of entities;
- different symbols to depict nodes representing entities who are individuals and those
20 representing organisations;
- symbols at least partially resembling people to depict nodes representing actual individuals;

- different symbols, colours, animations and/or sounds for a node to indicate the existence of defined information of interest including a particular predetermined activity, identifying characteristic, entity attribute, or other data recorded in a nodes data record;
- 5
- different colours/symbols for different roles in a specific application, such as in an employment application for employers and job seekers and/or the existence of a link to details of a job vacancy;
- 10
- displaying further defined information of interest or permitted actions when positioning a cursor or visual indicator over a node depending, and varying the information displayed depending on the user's degree of separation from the node;
 - nodes representing a person or an organised network also showing a numerical indication of the number of direct contacts associated with the node;
 - a indicative rather than literal indication of the number of links to a node if number exceeds a defined value, with a numerical value showing the actual number of connections;
- 15
- user customisable representations for nodes, including images, photographs and figures;
 - different visual appearance of a node symbol to indicate the status of an activity, e.g. a higher intensity symbol indicating a successful linking of a job seeker with a vacancy;
- 20
- The said system provides a platform for developers to provide the nodes with applications and communication services. The system may also be provided to the user with an initial suite of specific applications and communication services.

There are clearly a myriad of possible applications where knowledge of a direct contact with,

or recommendation by, a trusted entity will affect the decisions of a user.

As an illustration, a commercial entity such as a multinational software producer may utilise a database composed of suppliers with a proven track record, e.g. secure credit history, prompt product delivery or low product faults. These entities in 1st degree contact with the user may
5 be asked for recommendations for further trade related entities, employment vacancies, collaboration request and so forth.

A police/security service database may include data on informants with a creditability factor assigned to each according to the assessment of other police/security agencies or individual of same. Other security agencies accessing the data would be able to infer a measure of
10 credibility to the data from their degree of separation from the other agency and/or informant.

In addition to a user's awareness of the degree of separation between themselves and a given entity/node, various other information regarding the personal details and/or activities of other entities in the user's unique, private personal network may be searchable or otherwise made available to the user.

15 Thus, the present invention also provides a user with searchable access to the system for information derived from a variety of sources, including that recorded in said data records, including the identifying characteristics, contact details, entity attributes, and said predetermined activities.

Also optionally searchable are various supplementary attributes detailing specific details of
20 the entity relevant to a particular application or activity. As an example, in a romance/friendship related database, the supplementary attribute may include (but are not limited to) the following;

- marital or relationship status (e.g. single, married divorced, separated, de facto, single but uninterested in a relationship at present, and so forth);

- physical attributes;
- photographs;
- a rating, assessment, quantification, qualification, or comment on the or each said entity attribute from one or more chosen entities by the user.

5 Optionally said chosen users may prohibit the recordal of any or all details stored or potentially stored in their respective entity user data record from being searchable and/or stored on said database.

According to a further aspect, the present invention provides users with searchable access to the system to search for entities matching a predetermined profile composed of user-defined
 10 entity attributes, identifying characteristics, supplementary attributes, predetermined activities or any combination of same.

The present invention may also be used to contact and/or convey information to entities matching a said predetermined profile.

Thus, according to a further aspect of the present invention, said database is searchable for
 15 entities matching a predetermined profile.

A number of core steps are applicable to compiling and using a database for different applications. A first user inputs the details of all the entities (i.e. their friends, colleagues, family or anyone else they value in some way) they believe would be willing to be recorded on the database as chosen individuals, and specifies their e-mail address as their identifying
 20 characteristic and optionally 'friend' as the link between the parties.

Each chosen individual is then notified of their inclusion (or potential inclusion) in the database and optionally notified of the or each common factor liking them to the first user if this is not self evident, e.g. *"you have received an invitation from your friend David to be*

recorded on [application specific] database and he invites you to input details (i.e. e-mail address) of your friends to the data base..."

The process is then repeated as each friend of the original user agreeing to participate provides the requested identifying characteristic information and their chosen friends are automatically
5 contacted (via e-mail) in the same manner and invited to participate.

In one embodiment, said searchable access is available only to prescribed users.

According to one aspect of the present invention, the said prescribed users provided with searchable access of the database are determined by a defined eligibility criteria.

In one embodiment, said eligibility criteria includes being a paying subscriber to said system.

10 In alternative embodiments, the said eligibility criteria definition may be based on any of the above described entity attributes, identifying characteristic - including said, supplementary attributes or combination of same.

According to one aspect of the present invention, individual users may chose to optionally restrict access to part or all of their stored data in their entity data record to other users with
15 particular identifying characteristics, supplementary attributes and/or entity attributes.

In this manner, entities are able to alter their searchable details according to different applications – for example, an individual may be willing to be contacted by any search looking for photography enthusiasts but does not want unrestricted access to the fact they work for an genetic research laboratory.

20 Potential users of such a system can be reassured that they will be included in a unique, private personal network whereby only others with a common link (e.g. friends, friends of friends, or friends of friends of friends and so forth) will be able to access their personal details if they chose to make them available.

Furthermore, the system does not necessarily require the user to make contact with an entity located through a search of the system database. Instead, the system provides a means of informing the user of the existence of the together with the knowledge of a common link, e.g. a shared mutual acquaintance.

- 5 Preferably, the system allows user access across a network, including the Internet, an intranet; wide and local area networks; a telephone or pager networks, telephone-based text-messaging or facsimiles; automated mailserver systems; power transmission networks, wireless networks; networks comprised of other telecommunication links: postal or courier services and the like.
- 10 It will be appreciated that the present invention may be used with a multitude of applications as given above. These include any application where an action may be influenced, or information sought, as a result of knowledge derived from an entity known, either directly, or indirectly to the user.

The present invention enables information flow not only between immediate acquaintances,
15 but also with the subsequent tiers of entity acquaintances, e.g. friends of friends, friends of friends of friends, and beyond to include even larger domains entities. The core principles and elements of the invention, namely the ability to transfer information within a network whose members are directly or indirectly known to the user, giving an interrelationship context to any information transfer, may be applied a diverse range of applications without need to adapt
20 the principles of operation.

Multiple applications may be derived using a database comprised of data from the same entities by utilising different aspects of the entity interrelations. Moreover, the present invention enables users to record information about themselves and apply selective screening on who else may view the information, and from whom they obtain information.

In one embodiment, a user may choose or be assigned (by the system or another entity) a role in an application, or a said predetermined activity.

Preferably, the roles include at least one of provider, participant, or facilitator roles.

Although the exact nature of a provider, participant or facilitator role in an application will
5 vary according to the specifics of the application, in general these terms may be defined as follows;

- A provider is an entity with some form of tangible (e.g. a product to sell, a job vacancy, a house to let) or intangible (e.g. information, participation in a sporting event, emotional support for counselling, on offer of friendship/romance) item, element or service which
10 they can contribute, pass on, give, sell, make available to another entity.
- A participant is an entity utilising the provider's tangible or intangible item or service, e.g., obtaining from the provider (either directly or indirectly) a product, service, job, advice, recommendation, contact details, specific information, a relationship and so forth.
- A facilitator or link is an entity facilitating a successful interaction between a provider and
15 participant, e.g. An entity who forwards a job vacancy from a provider (an employer) to a potential participant (a job seeker) without seeking the product/service/activity from the provider for their own use.

Fees for use of the system may constitute a subscription, one-off payment, an on-going time-based payment, be based on the quantity or nature of database search results, or based on the
20 number and type of successful outcomes from use of the services.

The system may also be used to reward users for their contribution in a predetermined activity such as linking potential employer with an appropriate employee. Thus, according to one embodiment, a reward is provided to an entity according to their success in fulfilling their

designated role in a predetermined activity.

Preferably, a reward is given to a facilitator for aiding in linking a provider with a participant.

Optionally, the reward recipient is chosen by the provider or facilitator.

According to a further aspect of the present invention, said system includes;

- 5 – at least one host computer processor connectable to one or more network(s),
- a database accessible over said network(s),
- a plurality of data input devices connectable to said network(s),
- wherein said system is capable of forming said unique private personal network for each
 of one or more users by receiving input from the said user including at least one
10 identifying characteristic of the user and of one or more chosen entities known to said
 user,
- recording said identifying characteristic of each entity including the user to form one or
 more corresponding entity data records in said database,
- notifying the or each chosen entity of their recordal on said system and requesting input of
15 at least one identifying characteristic of one or more further entities known to the or each
 said chosen entity,
- recording the identifying characteristic of each further entity inputted by the or each said
 chosen entity to form further corresponding entity data records,
- repeating the above steps of successive notification of further entities and recordal of the
20 identifying characteristic of each further entity chosen as further entity data records,
- providing searchable access to at least part of the entity data records stored in said

database.

Searchable access to an entity data record may be restricted by the entity to other said prescribed entities.

Preferably, said data input devices are computer terminals, PDAs, telephones, mobile phones,
5 laptops, notebooks, any other portable personal computing device connectable to said network, preferably but not limited to the internet. Said data input devices may provide webpage, e-mail, text message, DTMF tone, voice or video access to the said host computer or between entities and/or web-browsing access to said host computer via a dedicated web-site interface.

- 10 According to one embodiment, entities stored on said database may be periodically provided with indicative information relating to additional new entities with a entity attribute matching that recorded in the entities user data record, which have been inputted to the system since the entities' last system access and/or said automated periodic update.

- Said indicative information may provide a simple numerical indication of new recorded
15 entities, new or altered identifying characteristics or entity attributes of existing stored entities, or alternatively may include at least part of the details contained in the respective entity user data records of the new users.

- According to a further embodiment, a referral chain formed by the sequence of preceding chosen entities sharing a common predetermined factor leading to the eventual choice of a
20 particular entity for inclusion in the database may be recorded in the entity user data record.

According to a still further embodiment, anonymous references regarding a particular entity may be requested of one or more entities identified within the corresponding referral chain relating to said particular individual.

As potential users of this system may be reluctant to disclose some or all of the various entity attributes, identifying characteristics, supplementary attributes referred to above, a variety of incentives or reassurances may be provided according to the nature of the application. In a relationship/romantic application, a means of indirectly assessing the potential suitability of an individual for a relationship of some kind may be garnered by considering the prospective individual's response or opinion to various neutral or non-threatening issues, such as the user's favourite joke, quote, movie and the like.

Thus, in a further aspect of the present invention, an entity is prompted for a response to predetermined questions relating to non-sensitive, matters of opinion on neutral topics, said responses being stored as part of the entity data record searchable by said selected users.

A consequence of the information distribution systems prevalent throughout the world and the aggressive marketing of products and services are a potential overload of information. Filtering this information is a fundamental task to permit decisions on the numerous choices confronting a typical individual. The advice and example provided by our peers/close friends and relatives is a significant filtering technique employed unconsciously by most people. The present invention harnesses this filtering ability and the collective opinions and knowledge of an entity's extended network of contacts.

Thus, instead of compiling a searchable database purely for a single purpose, e.g. job finding, sporting interests, or friendship/romantic motives, alternative/additional applications may be layered onto the database. The additional data obtained from the entity's identifying characteristics may be used to provide users with the means of obtaining information related to any of the above applications from within their own unique extended unique, private personal network of contacts.

The present invention enables a more systematic access to the opinions, knowledge, contacts, recommendations and so forth of an extended network of contacts than would otherwise be

possible without endlessly disturbing each contact.

Applications most suited for implementation of the present invention are characterised by;

- a high reliance on personal contacts;
- a significant need/problem to solve;
- 5 • a need to access an extended social, business, recreational, cultural or other restricted network but not the general public;
- networks with a large number of people;
- high inter-personal information flows; and/or
- a large number of people to co-ordinate; and/or
- 10 • the network members have insufficient time available to perform all their desired activities, or have insufficient time to communicate with or maintain connections with their personal contacts.

To effect a successful implementation of the present invention to a new application ideally requires the identification of the following factors;

- 15 • the different roles of the possible participants (e.g. employer, employee, facilitator/link, recruiter);
- any social rules that may apply (e.g. notification only for jobs of interest or when candidates enquire);
- any specific restrictions or special features related to the possible participants; and;
- 20 • the different motivations of different roles.

These factors may be readily used to adapt the core functionality of the invention in an open-platform software embodiment. This platform would enable third parties to develop network applications that link into it as well. Although these applications are currently implemented on an Internet and e-mail platform they are not necessarily restricted to same.

5 It can be thus seen that individual industries may adapt the present invention to their own peculiarities and characteristics. Personal or organisation networks are utilised by each Industry in different ways and to varying degrees. A Share broker and Venture Capitalists would use personal networks, though in a distinct manner and purpose. Nevertheless, by identifying what the unique, private personal networks are used for, and the different roles
10 played by individuals/organisations (i.e. entities) in the industry, the present invention may be adapted to enhance individuals/organisations effectiveness.

Different companies within a given sector of an industry may have specific criteria to define how their employees utilize their networks of friends and colleagues as part of their work. This could be as simple as a particular company template used for e-mail communication with
15 other entities via the said database.

Using the Venture Capital example again, personal networks may be used in a variety of tasks – some industry specific, some generic commercial tasks. These may range from senior executive recruitment, seeking specialized co-investment partners, conducting technical due diligence to ordering office supplies. However, in each instance, the present invention may be
20 used to compile, maintain and update their list of contacts.

Furthermore, unlike existing information-gathering systems/techniques, the present invention allows the user to extend their information search (whether it be for a potential olive pressing plant investment company or a new office photocopier supplier) beyond their immediate contacts. Moreover, it also avoids incessantly interrupting all of their contacts whilst ensuring
25 the potentially relevant ones are notified.

A key benefit of the present invention is the ability to layer information requests or dissemination with the user's extended contacts network according to the user's purpose. If an individual is embarking on a project requiring diverse and/or specialist input, then information requests may be restricted from clearly uninterested contacts. Thus, an individual
5 organizing a working-party detail at a remote club ski-field for example, would exclude contacting any non-local individuals.

In this instance, the particular criterion used in restricting the database search results is geographical proximity. It may be seen that by adding additional criteria, e.g. "possesses four wheeled drive transport, physically able, an interest in the outdoor, a relevant craft/trade skill
10 (welding, carpentry, diesel mechanic)" may further optimize the search. The available criteria depend on the information stored in the respective entity data records, i.e. the identifying characteristics, entity attributes and supplementary attributes.

A venture capitalist thinking of investing in a biotechnology project may only notify specific entities within their network. However, the same individual may want include different
15 friends and colleagues in your "romance" and "employment" applications.

In an employment-orientated application, the user may notify different people within their network depending on the nature of the employment. As an example, finding a new sales person will undoubtedly engage a different part of a user's social network compared to seeking a new software database programmer. It may be appropriate to exclude certain
20 individuals from a search, e.g. the superior of a disenchanted employee, where the user knows both individuals.

The manner in which a user controls information flow is adaptable to social or commercial change. A user may have close trusted friends who are categorised as able to see all information. Less trusted acquaintances may be accorded certain restrictions or qualifications,
25 e.g., "don't invite Sam Dee to any function without Jane Doe".

It can be thus seen that the criteria forming the predetermined profile of an entity sought by the user may include additional 'external' factors from those stored in an entity data record according to a user defined 'rule'. These external factors may be extremely varied and diverse and include, for example, world or local events, the weather, time, anniversaries/birthdays or
5 whatever factors or issues a user wishes to affect their activities.

As an illustration, a user may wish to automatically contact other individuals who snowboard for a backcountry trip, but only if the meteorological office indicates a 'powder day', or if there is no avalanche warnings. Whilst being a snowboarder could be stored as an entity attribute/identifying characteristic, clearly the snow/weather reports are externally generated
10 and altered dynamically.

Therefore, according to a further aspect of the present invention, criteria for matching a predetermined profile in a search of said database includes one or more external factors, preferably according to one or more said user-defined rules.

As previously stated, friends and colleagues often ask each other for recommendations when
15 selecting product and services, e.g., "do you know a good doctor, mechanic etc". These recommendations can be stored in an entity data record as either an entity attribute, identifying characteristic, or supplementary attribute pertaining to that entity.

This enables, for example, a user's friends to see what washing machine they recommended (or did not recommend) and optionally use a hyperlink connection to the manufacturers web-
20 site, for example. Such a mechanism would enable a means of generating revenue from the product manufacturer.

In one embodiment therefore, the present invention records a user's recommendations regarding consumer items and/or services as part of the user's data record.

Preferably, a hyperlink connection to a web site of a manufacturer of a recommended product.

A variety of means are possible including, according to one embodiment, a financial, product or service reward is provided to an entity by a manufacturer according to a predetermined number of hyperlink accesses attributed to the user' recommendation.

Alternatively in a further embodiment, the manufacturer may directly subsidise the company
5 hosting the searchable database system according to the total number of referrals, whilst optionally, the individual system users may receive a proportionally discounted subscription to the system.

Alternatively, the service and/or product providers receive a predetermined number of recommendations without charge after which they are invited to pay a fee to be maintained as
10 a searchable term on the database. In use for example, a user may know his close friend has a particular brand washing machine. The user may then search to see who else has that particular machine rather than asking all his contacts on the database what washing machine they posses.

The service/product providers may be contacted informing them which entities contacted
15 them directly via the present invention. This demonstrates to the service/product provider the value of this method for generating business, thus encouraging them to pay to join the service.

It is necessary to provide an incentive for entities to record their recommendations, or opinions of products and services. One method is for service/product providers to provide discounts to entities that recommend them. The present invention monitors all successful
20 referrals and ensures the appropriate discounts are received by the relevant entities. Revenue is generated from a retaining a percentage of the discounted savings received from the service/product provider.

To facilitate ease of use, service and product providers using the present invention can use customizable emails that they send to happy customers. This e-mail includes a one click link

to allow the service or product provider to be added to that persons list of recommendations.
If the individual is not a user of the present invention, they are prompted to join.

The present invention may be expanded from an essentially web-email base system to incorporate a mobile voice connectivity component. In the simplest embodiment, the system
5 of the present invention defines a social network formed by the entities stored in the database. This social network communicates via email and the web, and if voice communication is needed, the system users may simply telephone each other. No direct assistance is needed other than possibly viewing the relevant portion of other entities data record or being informed via a message (email, SMS, EMS, MMS, or chat, for example) of the other entity's phone
10 number(s).

According to a further aspect of the present invention there is provided a method of creating a unique, private personal network for a user in a system as described above, including the steps performed by a processor of a data processing and storage system, of:

- 15 – receiving input from the said user including at least one identifying characteristic of the user and of one or more chosen entities known to said first entity;
- recording said identifying characteristic of each entity including the user to form one or more corresponding entity user data records in said database;
- notifying the or each chosen entity of their recordal on said system and requesting input of at least one identifying characteristic of one or more further entities known to the or each
20 said chosen entity;
- recording the identifying characteristic of each further entity inputted by the or each said chosen entity to form further corresponding entity data records;
- repeating the above steps of successive notification of further entities and recordal of the

identifying characteristic of each further entity chosen as further entity data records;

- providing searchable access to at least part of the entity data records stored in said database.

5 In a more sophisticated implementation, the present invention can offer automation of the dialing process and value-added services such as conferencing, messaging, and interactive voice response / premium-rate services.

10 In a further embodiment, the system further provides automated dialing via a Public Switched Telephone Network (PSTN) through a web-based function allowing the user to request the telephone network to make a call to two or more entities involved in a predetermined activity and connect them via a bridge in the networking the network. Automation through Internet telephony would allow the user to directly initiate an Internet telephony call to the desired parties.

15 Telephone conferencing may be used to facilitate combining the features and services of the present invention into a single call. Again, this can be accomplished through a PSTN conference bridge or Internet telephony.

20 Providing a voice mailbox to which a user could redirect their existing voice mail subscriptions could be used to supplement existing messaging facilities. The advantage of a social-network based messaging system is that it would be able to separate messages from within the social network from those from outside (assuming caller-id is available or authentication is used to distinguish members of the social network from those who are not members).

Interactive-Voice Response and Premium-Rate telephone services could be used to support such social network functions as event management and simple profile management.

Three key platform and application extensions are provided to extend social networks into the mobile environment: Mobile Notification Services, Data Application Services, and Location-Based Services.

5 Mobile Notification Services allow the user to optionally and selectively receive alerts to their mobile device. These alerts could be in the form of a Short-Message (SMS), Enhanced SMS (EMS), Multi-Media Message (MMS), plain email, a paging message, or other message format.

10 Data Application Services allow the user(s) to optionally and selectively initiate or receive data communications related to their social network(s). These communications could be via SMS, EMS, MMS, email, WAP, paging, or other wireless application data format.

Location-Based Services allow users to utilise the benefit of their social network taking account of their physical location. The user's location may be determined by mobile-phone cellsite location, GPS location, manual or menu-driven location selection, or other known methods.

15 An example service which takes advantage of all the above services is as follows:

User A is at a sports-stadium. He has previously selected on a web site link to the searchable database to be notified by SMS when his direct friends or friends of his friends who match a particular predetermined profile have their mobile devices active in the same cellsite as him for a minimum of 20 minutes duration. This time restriction eliminates people who are just
20 traveling through the cellsite area.

User A receives an SMS that User B, a friend of his friend User C, is in the same cell-site. The SMS gives a brief biography of User B.

User A is interested to communicate with User B, but only after checking with User C about the person. Because it is time-dependent, User A needs to reach User C directly. In a simple implementation, User A will simply call or send a text-message to User C. In a sophisticated implementation, the system will give User A the option to be placed directly into contact via
5 voice or data with User C.

User A reaches User C and User C replies positively to User A's interest in contacting User B. User A then responds to the original alert message with that preference. User B then receives a text message asking if User B would like to meet up with User A, a friend of their mutual friend User C. If User B responds positively, both User A and User B are sent messages
10 which give their phone numbers, allowing them to contact each other. In a sophisticated implementation, they would have the option to be placed directly into communication.

BRIEF DESCRIPTION OF THE DRAWINGS

Further aspects of the present invention will become apparent from the following description which is given by way of example only and with reference to the accompanying drawings in which:

5 Figure 1. shows a schematic block diagram of a preferred embodiment of the present invention;

Figure 2. shows a first embodiment flow chart implementation of the invention shown in figure 1;

Figure 3. shows a web page forming part of the first preferred embodiment;

10 Figure 4. shows an e-mail forming part of the first preferred embodiment;

Figure 5. shows a web page forming part of a second preferred embodiment of the present invention;

Figure 6. shows a web page forming part of the second preferred embodiment listing employment search results;

15 Figure 7. shows a web page of an expanded job description of the results shown in figure 6;

Figure 8. shows a user profile update according to the present invention;

Figure 9. shows a web page form for inputting details of vacancy according to said second preferred embodiment;

Figure 10. shows a invitation message template according to the second preferred embodiment.

20 Figure 11. shows a visual indication of a network of connected individuals highlighting two

interconnected unique personal networks of first order friendships, and

Figure 12. shows the network displayed in figure 11 with a single user's second, third and fourth degree connections highlighted.

DETAILED DESCRIPTION OF THE INVENTION

The present invention relates generally to a means of harnessing the discriminatory powers of the knowledge, opinions and recommendations of an entities extended network of contacts in an efficient and systematic manner and without irritating or alienating members of the network. There are numerous potential applications for the present invention of which the examples described in more detail below are by way of illustration only.

Figure 1 shows a schematic block diagram of a system for providing connections between entities, implemented on a computer system (1) according to a first embodiment of the present invention.

10 The term 'entity' or 'entities' includes any individual, family, organisation, club, society, company, partnership, religion, or the like that exists as a particular and discrete unit. However, though for the sake of clarity and convenience the term individual or user (as appropriate) is used in the following examples, this does not restrict the present invention to same.

15 The computer system (1) includes a host computer in the form of an internet web server (2), containing a processor (3) connectable to a network, in particular the internet (4), a database (5) accessible over said network and a plurality of data input devices, represented by user computers (6, 7).

It will be appreciated that by those skilled in the art that the invention is not necessarily limited to use with the internet (4) and that a connection to the host computer/web server (2) may be provided by a propriety network (8) enabling access by via text-messaging telephones (9) for example.

The present invention provides system providing one or more users with a unique, private personal network formed from contacts with one or more entities known directly or indirectly to the user.

Thus, the present invention is particularly suited to implementation in a variety of applications, including, as an example, a relationship service to facilitate the introduction of individuals from a user's unique, personal private network. In dating-type service or system embodiment, the users would be drawn from friends or friends of friends, or even optionally friends of friend of friends and so forth.

Existing dating services are hampered by the instinctive reluctance of many users, or potential user's to engage in relationships with individuals of whom they have no prior knowledge. Attempts to overcome this difficulty have been predominately based on systems which record various personal details of the users to provide a basis for filtering potential partners based on the perceived suitability of the recorded personal details.

However, most people's friendships (both platonic and non-platonic) are formed with other individuals with whom they respect, feel comfortable with, whose company they enjoy, with a compatible outlook, sense of humour/beliefs and/or a host of other traits. A friend's friends are thus, widely perceived to be people with a similar outlook/character to the friend in question. Therefore, even if a friend's friend is unknown to an individual, the existence of the mutual friend between the parties mitigates much of the above-mentioned concerns.

It will be appreciated that the same principals of using an extended network of acquaintances as a means of locating a particular individual can be extended to a plurality of non-romance related areas. As an example, people seeking a particular type of tradesman such as an electrician, confronted by a potentially random choice from listings in a phone book would often be very willing to choose an electrician recommended by a friend. The principle is

equally applicable across a huge range of human activities/endeavours and is a fundamental feature of many societies.

The use of the system (1) for romantic purposes illustrated in figures 1-4 nevertheless illustrates the operation and characteristics of the present inventions.

- 5 Figure 2 show a flow diagram symbolising the implementation of the present invention of the system (1) as shown in figure 1, wherein an individual having an extended personal network of friends wishes to identify potential relationships from within said network.

To initiate the process, the individual accesses the host computer/web server (2) via the Internet (4) using a user computer (6) and is connected to a web site (10) interface with the
10 service.

In the initial step 100 the individual enters his/her identifying characteristics (11) which preferably includes a means of contacting the individual, preferably via e-mail and their name. This is recorded by the systems (1) as part of an individual data record (12) unique to each person and stored or updated on the database (5) in step 101.

- 15 As discussed above, in the present embodiment, the system (1) is primarily directed towards a single application, i.e., to facilitate romantic relationships between individuals, and the website (10) and associated correspondence/communication between the users will reflect this single purpose. It is therefore not necessary for the user to specifically record the reason/object for using the service, nor any entity attributes (13) of the individuals stored in
20 their respective data records (12).

Furthermore, due to the fundamental premise of the system (i.e. joining a personal network of composed of entities/individuals all of whom are known to each other either directly or by at least one other common entity/individual), the system can operate if necessary with minimal personal information being disclosed by the individual.

However, in alternative embodiments, the system (1), may be configured to further categorise individuals by entity attributes other than just the existence of a common friend/contact.

These factors may encompass the full gamut of human interactions with each other and may include family relations; business colleagues; professional acquaintances; sexual preferences, 5 persuasions, or proclivities; sporting or leisure interests; religious, political, theological or ideological beliefs; academic, scientific, or engineering disciplines; humanitarian, social or economic fields and any combination of same.

Such entity attributes (13) may be recorded in step 101 as part of the individual's data records (12) on the database (5).

10 After entering the user's identifying characteristic (11), the user selects one or more chosen individuals from their network of friends in step 102. Each said chosen friend is then notified by an e-mail as shown in the exemplary email illustration represented in Figure 3. The e-mail notification (14) effected in step 103, conveys to the recipient a brief outline of the service (15) together with a request (16) for their participation (step 104).

15 No individual data records (12) are recorded/stored for recipients choosing not to participate (step 105) or simply wishing to help their friends without their own details being accessible to others. Individuals willing to participate are invited (17) to enter details of their own friends in a repetition of step 102. The details of the chosen friends entered, i.e., the identifying characteristic (11) in this embodiment are the friend's e-mail address and name. The 20 individuals chosen for contact are notified by e-mail in a repetition of step 103.

The whole process (as described above in steps 102-105) of notifying friends, recording the details of willing participants as individual user data records, and contacting the chosen friend's friends and so forth is successively repeated in this manner until the full extended network of friends has been contacted.

Within a typical extended network of friends, there may be single individuals seeking relationships, single individuals not actively seeking a relationship, couples, separated couples, and so forth. Prescribed individuals meeting certain eligibility criteria are invited to register to obtain searchable access of the database (5).

- 5 In the present embodiment (and as shown in Figure 2), the said eligibility criteria for registration is whether that the individual is single (step 106).

Individuals meeting this criteria, i.e., they are single (automatically detected by said processor (3) reading said data records (12) in the database (5)) are sent an e-mail notification (18) (as shown in figure 4) in step 107 to invite them to register for searchable access of the database
10 (5). If user is recorded as not being single in the individual's data record (12), no invitation for registration is sent – step 108.

In the example represented in figure 4, the e-mail (18) includes the option (19) of restricting the information in their own individual data record to be available to just 'friends of friends' or 'friends of friends of friends', i.e. individuals of 2nd or 3rd degree of contact separation from
15 the user. It also permits the user to register the type of relationship they are interested in via a selection menu (20).

This key feature of the present invention enables a user to apply selective control over the type of interaction with other system users depending on their degree of separation from the user.

It will be apparent to one skilled in the art that many variants of the described embodiment are
20 possible without departing from the scope of the invention.

In alternative embodiment (not shown), any of the users may input a variety of supplementary personal attributes/information as part of the identifying characteristics (11) including their including marital or relationship status (e.g. single, married divorced, separated, de facto,

single but uninterested in a relationship at present, and so forth); physical attributes; photographs.

Furthermore, close friends (i.e. direct contacts), as opposed to friends of friends, may be offered a means of recording a rating, assessment, quantification, qualification, or comment
5 regarding the details stored in the relevant individual data record (12). This can provide a means of limiting any excessive boasting/hyperbole or reticence/down-playing by an individual and thus provide a more accurate description.

It should be understood that the system (1) does not specifically require the users to contact each other via the internet, rather, it provides the information required (e.g. a common friend) to
10 contact an individual with whom the inquirer is known to share a common link.

Even though many users may find e-mail to be a convenient means of contact, there is nothing precluding the use of the telephone, letter writing, personal contact or any of the 'conventional' means already available to the public. Such contact details may simply be recorded as part of the data (12) records and made searchable to prescribed users.

15 The invention possesses several security features not shared by existing 'dating-services'. Firstly, only individuals sharing a common link (e.g. friendship) are able to obtain access to another individual's personal details, i.e. their data record (12). No information is disclosed to the 'outside world'. This greatly reduces the concern and likelihood of approaches from 'crank individuals', whether perceived or actual.

20 Secondly, the system does not rely on the users inputting large amounts of personal and potentially private information into a database over which they have no access control. Many users may feel less threatened by recording the minimal information needed on the database (5), particularly with the reassurance that the information is only viewable by friends or friends of friends (or friends of friends of friends).

Further features or embellishments to the basic system include cross checking the details of new individuals proposed for inclusion on the database to see if they are already present. This prevents people receiving unwanted duplicate e-mail requests (14) to join the service.

Eligible individuals, i.e. single friends meeting a particular search criteria may be listed with
5 the along with the path of referring friends to provides a sense of context and background information. User can be provided with the option of whether they want their referring friends to be 'attached' to them in this manner.

Registered users may be notified periodically about the number of new eligible individuals included in the service since they last used the service and/or we last notified.

10 Users may customise the format of the e-mail notifications (14) to suit their own tastes. As will be seen in the outline of the service (15) shown in figure 3, there are two drop-down boxes to enable the user to customise the characterising description of the service and the salutation with the minimum of effort.

If a user dislikes a particular individual within an extended network of friends, they may deny
15 to access of their individual data details during any search of the database (5) conducted by said particular individual (or not accept a link to them in the database (5) at all).

Instead of accessing the service via the internet (4), any proprietary network could be employed such as an intranet, wide and local area networks; a telephone or pager networks, telephone-based text-messaging or facsimiles; automated mailserver systems; power
20 transmission networks, wireless networks; networks comprised of other telecommunication links: postal or courier services and the like.

The now widespread text-based phone-messaging feature of telephones, particularly mobile telephones (9) can be utilised as a convenient and attractive means of accessing the service through a proprietary network (8).

Instead of each user instantaneously sending their e-mail requests (14) to the friends chosen for possible inclusion in the service in 'real-time', these may be grouped together so that an individual receives a single notification indicating all the friends who have recommended them.

- 5 A further variant of this feature is to periodically notify a user of all the other individuals who have registered and who want to refer to the user as their friend.

A 'referral chain' of individuals connecting two people provides a means for both parties to inquire about each other through any of the parties in the referral chain. This provides a means of obtaining further information about an individual before committing to a
10 date/meeting. This essentially mimics the age-old social mechanism whereby friends are used as intermediates or envoys to discover details of potential mates/partners.

A means of extracting information from an individual's on which character assessments may be made is possible by means of obtaining response from said individual to a range of questions on neutral, mainstream, non-threatening or non-sensitive issues. Such questions
15 could relate to the user's favourite joke, quote, movie and the like. Said responses may be stored as part of the individual user data record and may be searchable by said selected users. This avoids the understandable reluctance of many potential users to divulge personal, private and/or physical details to the scrutiny of third parties.

The entry of an expanded list of identifying characteristics/entity attributes (11, 13) as referred
20 to above can enable the service users to contact other people for non-romantic purposes. This may range from golfers seeking like-minded playing partners to lawyers seeking reliable associates in overseas jurisdictions.

The recommendation of a friend or colleague or even indirectly by someone (even if not a direct acquaintance) whose judgement is respected can greatly influence people's action and

choices. The choice of say, a builder, dentist or mechanic for example may be influence by acquired personal experiences or by reputation, and/or recommendation. The latter option is often given preference due to the greater potential impartiality and its ability to draw on a wider pool of personal experiences.

- 5 The present invention is readily adaptable to such relationships, and in fact, may be utilised in facilitating interaction between parties in almost any sphere of human activity, provided the parties share a common contact (either directly or indirectly) with an entity which is respected by the said parties.

As discussed, industry specific applications may be formed from the core features set of
 10 features of the present invention.

Table 1 below contains an exemplary list of possible applications.

Table 1.

| Application | Problem solved | Roles | Application-specific factors |
|----------------------------|---|---|--|
| Employment | Finding high quality people for jobs at a low cost | Employer, Employee, Facilitator/link, Seeker/candidate, Recruiter | Best employees and or jobs are often found through the referrals of friends and colleagues |
| Romance | Finding a partner | Single, Facilitator/Link | The majority of people find their partner via common friends and colleagues |
| Flatmate (Roommate) finder | Finding a trustworthy and interesting person to live with | existing flatmates, New flatmates, Facilitator/Link | It is better to choose someone you patriotically know compared to an advertisement in the paper where you do not know the person at all |
| Investment opportunities | Finding investors with skill and desire to invest in particular areas | Offerer, Investor, Consultant, Facilitator /Link | <p>A large proportion of private equity is placed via personal networks and would benefit from a more systematic system.</p> <p>An optional additional requirement is the person posting the investment opportunity gives specific approval to each entity in the personal network wanting to view the information</p> |

| | | | |
|--|---|---|---|
| Recommendation engine for movies, books, plays etc | Finding good entertainment | Reviewer, Link/facilitator, Entertainment seeker | Friends often ask, "have you seen any good movies, read any good books" and this makes it easy to see what people think is interesting and worthwhile. |
| Event manager | Way for people to organize gathering and find people to make up numbers | Organizer, participant, Facilitator/link, person with interests | When organizing sports teams etc it is time consuming to call around a see if everyone can make it. This service may be configured to cease issuing invitations to the event after a defined number of people had confirmed their attendance. |
| Service and product recommendation engine | Way to find good product and services to buy and those to avoid | Service/product provider, consumers, Facilitator/link | This provides an alternative to scanning telephone or trade directories for product or providers. Users prefer recommendations from their personal network of contacts. |
| Academic collaboration | Way to keep up to date in a research field | Academics, Facilitator/links | There are numerous ways academics use networks to collaborate on performing, writing up and presenting research. This helps them |
| Contact manager | Keeping your contact information of friends and colleagues up to date | Friends and colleagues | This application could sync your local address book with an online one. Because you are linked to your friends via the social network when they change their contact details it updates them online and then updates them on your local computer when they sync the address books. You will always have their updated contact information |
| Business problem solving | Way to find information from business colleagues and share information | Question askers, question answerers, moderators | When you have a specific problem you often ask colleagues for the answer or who to go to for the answer. With this service you can sign up to different areas of interest and choose what discussions you want to participate in based on your network of colleagues. |
| Finding company Directors | Find trusted business people for this role in companies | Potential directors, Boards seeking directors | These positions are often filled via word of mouth. The present invention would make the process more systematic |

| | | | |
|--------------------------------------|--|---|--|
| Spam filtering | Problem of receiving unsolicited emails | | Emails that come from your extended network of contacts could automatically be a higher priority than other email. Email that comes from addresses that is not part of <i>any</i> trusted network would be further lowered in priority (defined as spam). |
| Car pooling | Finding someone to share a ride with either for commuting or other purposes | Drivers, travelers | Generally people prefer to share a car with someone they trust than a total stranger. |
| Generating sales leads | Finding people in companies through mutual contacts that can help with the sales process | Sellers, potential customers, Facilitator/links | Often sales leads are generated through mutual contacts. |
| Real Estate | Finding good tenants for properties | Landlord, tenants, Facilitator/links | Landlords prefer to have tenants they can trust and they would prefer to have people that are part of their extended network of contacts. Similarly tenants may prefer a trustworthy landlord |
| Travel Organizer | Find good places to stay and things to do when you travel | Traveler, travel supplier, Facilitator/links | |
| Babysitting | Finding a good babysitter | Babysitter, caregivers, Facilitator/links | |
| House sitting | Find someone to look after your house when you are away | House owner, house sitter, Facilitator/link | |
| Classifieds | Buy sell or trade property, products, and services | Buyer, seller, Facilitator/link | |
| Sharing private peer-to-peer content | Share your content with selected degrees of your contacts | Provider / requester | Many people create or share content with others but do not want to use traditional peer-to-peer systems which are open and subject to abuse. |

In a second embodiment, an employment-related application is shown, as illustrated in figures 5-10.

The employment application may operate as a stand-alone application or, as shown in the drawings, be layered onto other applications such as the romance/friendship application described above using the same system (1). The basis for the application is founded on the same principles and core functions, i.e. using the knowledge, experience, contacts, opinions,

or recommendations of an entity's unique, personal private network of contacts to enhance the effectiveness of their activity of interest.

As discussed earlier, finding employment or the right applicant for a vacancy can be a frustrating and often futile task. The searchable database system (1) (as shown in figure 1) of the present invention may be utilised to address these difficulties for either task as follows.

In this embodiment, corresponding elements of system (1) are like numbered. The system is again described with reference to an Internet (4) based platform, though again, the invention need not necessarily be so restricted. The database (5) may be populated in the same manner as described in the first embodiment with data records (12) relating to entities known (directly or indirectly) to each other. Once compiled, such a database (5) may be effectively reused for quite distinct purposes.

The various entity attributes (13) and/or identifying characteristics (11) (including any supplementary attributes) entered into the individual data records (12) provide a means to discriminate information flow between relevant employment entities/individuals. A user accessing the website (10) to seek potential job vacancies and selecting an appropriate hyperlink from the home page will be brought to the web page (21) shown in figure 5.

In addition to pursuing a search for employment vacancies, the user is offered choices on managing their own unique, personal private network referred to in the illustrations as the user's unique, personal network formed (in the figure 5) from their friends and friends of friends. A numerical status indicator (22) in the upper right of the page (21) keeps the user informed of the total number of contacts in their personal network, also indicating the potential number of recipients of a search they may conduct.

A further restricted list of options (22) prompts the user to edit their profile, i.e. their data record (12), add additional friends to the system (1), alter their password and/or their contact

details (one of their identifying characteristics (11)). Under a further “Jobs :Options” (23) list of options, the user may select from the following job related options;

- Managing Job postings;
- Searching Jobs;
- 5 - Manage saved searches/alerts;
- Edit User job Preferences; and
- Change User Status.

Access to the expanded list of all the available user options may be accesses via links entitled “Jobs: Options” (23), “Managing My Personnel Account” (24) and/or “My Network of
10 Friends” (25) links.

However, assuming for convenience that a user wishes to search for a job and selects the relevant option, they are taken to the ‘Job Search’ web page (26) shown in Figure 6.

At the job search-criteria web page (26), the user is able to specify (via selectable options (27)) search restriction criteria such as job category, geographical region and one or more
15 identifying characteristic (11)/entity attributes (13). In the embodiment shown, the identifying characteristic (11)/entity attribute (13) is the link between the user and the potential recipient, e.g. friend of a friend and/or a friend of a friend of a friend. Searches may be saved for future use, and previous searches recalled using their respective icons (27, 28). The example shown in figure 6, the web page (26) is showing a result summary (30) of a search conducted on the
20 criteria specified in above options (26).

In this example, a single job vacancy has been found by the search. The summary of the job details indicates the vacancy was posted onto the system (1) by “Julian, a friend of John (a

friend known to the user Jane), together with basic job details. If these sufficiently interest the user, the full vacancy details may be obtained by following the job title hyperlink (31) that leads to the web page (32) shown in figure 7.

In addition to giving an expanded description (33) of the job vacancy, the web page (32) also provides an identifying characteristic (11) of the individual posting the vacancy, i.e., Julian's e-mail address (33). Also given are the connection(s) (35) between the user and Julian. The user thus has the choice of contacting Julian, the vacancy poster, one of their mutual friends, as identified by the connections (35), or enquire directly to the company advertising the vacancy via a dedicated link (36).

- 10 The vacancy poster Julian may optionally withheld his e-mail address (34) from being visible to some or all of job seekers.

It will be appreciated that the above search procedure may be easily adapted to other applications in addition to those of romance or employment illustrated.

- 15 The various entities/individual users of the system (1) may specify their interest in particular types of employment (as an identifying characteristic/entity attribute (11, 13)) by updating their profile i.e., their entity data record (12) accordingly. This information may be used by another user as a criterion for inclusion in vacancy notifications.

- 20 Figure 8, shows a web page (37) used for updating a user's profile (12). As this embodiment particularly refers specifically to employment, the primary selection available to the user is a selection of vacancy types they may be interested in via a drop-down box (38). Clearly, alternative or additional information may also be recorded in further embodiments.

In the case of an individual or company wishing to circulate a vacancy amongst their network of contacts, figure 9 shows a further web page (39) for defining the vacancy details. Again, the user is able to restrict the circulation of the vacancy to friends, friends of friends, or

everyone via appropriate check-boxes (40). The user is provided with various optional and required inputs, including a job title/reference (41), job description (42), contact e-mail address (43), geographical location of vacancy (44), generic vacancy category (45), vacancy type (e.g. casual, permanent) (46), expected hours of employment (47), vacancy level (48),
5 and maximum, minimum and annual pay (49).

The primary mechanism for new users to join the system (1) is through contact with existing members. This may be performed as part of the act of seeking a vacancy, seeking an employee, or as a facilitating/link individual who facilitates contact between the relevant parties. Figure 10 shows a further web page enabling a user to send an appropriate invitation
10 to their friends/colleagues/ acquaintances, with a customisable text message. In figure 10, the proposed text (51) is worded to indicate the user has some vacancies that need filing. However, the text may be replaced, edited within the user's own e-mail editing program if desired by selecting an appropriate link (52), or pasted directly into an e-mail or ICQ/Instant messenger service if desired via a further link (53).

15 Figures 11 and 12 show a graphical representation of the networks referred to throughout the patent whereby the relationships between individual entities (54) are illustrated by interconnecting links (55). It will be apparent that each individual has their own unique private network which differs even from those to whom they are connected, as illustrated in figure 11. Figure 12 shows the different networks associated with each individual when the
20 connections include second, third and fourth order friendships, as illustrated by the concentric circles enclosing second, third and fourth order connections. (56, 57, 58) respectively.

This job application can include an incentive payment (either cash, gift or gift certificate etc) paid to entities that helped link the employer to the jobseeker. When the facilitator entity notifies the system of the successful linking to claim their payment, the system is indirectly
25 being notified that the employer should be invoiced for having found a successful candidate

via the system. This invoicing double check helps detect employers tempted to avoid indicating the recruitment service was responsible for finding an employee. This incentive can appear to the receiver to be initiated by either the system or optionally by the user who received the successful outcome (in this case, the job seeker or employer).

- 5 Another method to identify if an employer has hired a jobseeker via the recruitment service is to send an enquiry email to the new company address using the typical email format given of company employees, e.g. `firstname.lastname@companyname.com` and see whether the email is returned as an invalid address – if the email is successfully delivered and read (if tracking options permit) the individual is likely to be working for the employer and thus needs to pay
- 10 for the recruitment service.

Aspects of the present invention have been described by way of example only and it should be appreciated that modifications and additions may be made thereto without departing from the scope thereof.